

CHESNEY'S

— Cleaning and Maintenance —

The Chesney's Stone & Marble Care Kit has been specifically developed to assist with the protection and maintenance of various types of natural stone. The easy to apply kit provides three key products for sealing, cleaning and maintenance.



The Chesney's Stone & Marble Care Kit has been specifically developed to assist with the protection and maintenance of various types of natural stone. The easy to apply kit provides three key products for sealing, cleaning and maintenance.

Chesney's Stoneseal is a rapid drying spray on sealer for both polished and unpolished stone. Easy to apply this product should ensure that your surfaces will remain well protected. Apply periodically throughout the year and always use to top up protection after intensively cleaning surfaces with Chesney's Stonefoam.

Chesney's Stonecare is a daily or weekly maintenance clearer for all types of natural stone. Easy to apply and does not require rinsing.

Chesney's Stonefoam is an intensive cleaner ideal for refurbishing surfaces that have minor staining or a build up of after care product. It also helps to remove various types of dirt and grime including soot. Use once or twice a year.

Marble Surround

Clean with Chesney's Stonecare. Apply a small amount of cleaner on to the surface, wipe over surfaces with a clean dry cloth and leave surfaces to dry.



For more stubborn stains caused through the spillage of wine etc use Chesney's Stonefoam. Spray an even layer of foam onto the surface of the stone, once the foam has dissolved, agitate with a mild abrasive pad and rinse well with plenty of clean water and leave to dry. There is no guarantee against staining.

Limestone Surround

Clean with Chesney's Stonecare. Apply a small amount of cleaner on to the surface, wipe over surfaces with a clean dry cloth and leave surfaces to dry. It is important that strong household detergents and abrasive cleaners are not used as this will damage the finish on the stone.

For more stubborn stains caused through the spillage of wine etc use Chesney's Stonefoam. Spray an even layer of foam onto the surface of the stone, once the foam has dissolved, agitate with a mild abrasive pad and rinse well with plenty of clean water and leave to dry.

There is no guarantee against staining.



Black Slate Hearth and Slips

Clean with Chesney's Stonecare. Apply a small amount of cleaner on to the surface, wipe over surfaces with a clean dry cloth and leave surfaces to dry.



For more stubborn stains caused through the spillage of wine etc use Chesney's Stonefoam. Spray an even layer of foam onto the surface of the stone, once the foam has dissolved, agitate with a mild abrasive pad and rinse well with plenty of clean water and leave to dry. There is no guarantee against staining.

CHESNEY'S

— Cleaning and Maintenance —

Limestone Hearth and Slips

Clean with Chesney's Stonecare. Apply a small amount of cleaner on to the surface, wipe over surfaces with a clean dry cloth and leave surfaces to dry. It is important that strong household detergents and abrasive cleaners are not used as this will damage the finish on the stone.

For more stubborn stains caused through the spillage of wine etc use Chesney's Stonefoam. Spray an even layer of foam onto the surface of the stone, once the foam has dissolved, agitate with a mild abrasive pad and rinse well with plenty of clean water and leave to dry.

There is no guarantee against staining.



Granite Hearth and Slips

Clean with Chesney's Stonecare. Apply a small amount of cleaner to the surface, wipe over surfaces with a dry soft cloth and finish by buffing with a soft cloth.

For more stubborn stains caused through the spillage of wine etc use Chesney's Stonefoam. Spray an even layer of foam onto the surface of the stone, once the foam has dissolved, agitate with a mild abrasive pad and rinse well with plenty of clean water and leave to dry.

Cast Iron Register Grate

Clean with spray oil such as WD40, this will help to protect the metal against rust. Moisture is produced by the burning of the gas fire and rust is still likely to form. This is normal and not a problem, the level of moisture is increased when burning solid fuel.



Polishing with WD 40 and fine wire wool is highly recommended on a periodic basis. The areas of the register grate near the burning area are subject to 'tempering' which is discolouration of the metal, this is normal and not a problem. The level of discoloration is increased when burning solid fuel. Burn small fires initially to temper the metal slowly.

Steel Register Grate

Clean with spray oil such as WD40, this will help to protect the metal against rust. Moisture is produced by the burning of the gas fire and rust is still likely to form. This is normal and not a problem, the level of moisture is increased when burning solid fuel. Polishing with WD 40 and fine wire wool is highly recommended on a periodic basis. The areas of the register grate near the burning area are subject to 'tempering' which is discolouration of the metal, this is normal and not a problem. The level of discolouration is increased when burning solid fuel. Burn small fires initially to temper the metal slowly.

Steel Slips

Clean with spray oil such as WD40, this will help to protect the metal against rust. Moisture is produced by the burning of the gas fire and rust is still likely to form. This is normal and not a problem, the level of moisture is increased when burning solid fuel.

Polishing with WD 40 and fine wire wool is highly recommended on a periodic basis. The areas of the register grate near the burning area are subject to 'tempering' which is discolouration of the metal, this is normal and not a problem. The level of discolouration is increased when burning solid fuel. Burn small fires initially to temper the metal slowly.



Fire Baskets

Black baskets are relatively low maintenance and wiping clean with WD40 will be sufficient. Some discolouration of the basket should be expected.

Gas fires produce moisture, and rust is still likely to form, this is normal, the level of moisture is increased when burning solid fuel. For highly polished steel baskets cleaning with WD 40 on fine wire wool is highly recommended on a periodic basis.

The basket will be subject to 'tempering', which is the discolouration of the metal, this is normal and not a problem and again is increased when using solid fuel.

Burn small fires initially to temper the metal slowly.

The information contained within this document is given in good faith for general guidance only and may not be applicable to, and should not be relied upon, in any particular circumstances. The manufacturer/supplier will not be liable for any direct or indirect or consequential loss or damage.

CHESNEY'S

— Cleaning and Maintenance Manual —

Gas Effect Fire & Chimney Sweeping

Please refer to the manufacturer's operating instruction enclosed.

The gas fire must be serviced on a 12 monthly basis by a Gas Safe Register approved engineer, this is a legal requirement for the GasSafety Regs 1994(Reg. 35).

All chimneys must be swept at least once a year preferably by a member of the National Association of Chimney Sweeps NACS. However, if your appliance is used continuously throughout the year more frequent sweeping is recommended. The best time to have your chimney swept is at the start of the heating season.

Useful Telephone Numbers & Who to Contact

Gas Safe Register - 0800 408 5500

HETAS (The official body recognised by the government to approve solid fuel domestic heating appliances, fuels and services) - **0845 634 5626**

NACS (The National Association of Chimney Sweeps) - **01785 811 732**

CHESNEY'S

Installation Department - **020 7498 5555**

Battersea Park Road Showrooms - **020 7627 1410**

Holloway Road Showrooms - **020 7561 8280**

Installer's Details

Name.....

Telephone.....

Address.....

.....

.....

Data Plate

The data plate for this installation has been located

.....

Goods Supplied/Order Number

The following goods were supplied.....

.....

..... on Order.....

IMPORTANT SAFETY NOTICE

THIS LABEL MUST NOT BE REMOVED

Property address	
Fireplace, Stove and Hearth installed in (Room)	
Flue is suitable for	Gas / Solid Fuel / Decorative only
Chimney / Liner type and size	
Sub-hearth suitable for	Gas Effect Fires (raised basket only) Solid Fuel (or floor based Gas Fires)
Suitable for condensing appliance	YES / NO
Date installed	Order No
Installer's name and contact tel	
The products of this Fireplace were supplied by	

CHESNEY'S

Please quote the above order number in all correspondence with Chesney's